

## Certificate of Analysis



**Beaumont Lube Blending Plant**  
**2805 Sycamore St. Beaumont, Texas 77701**  
**Date: 11/22/2022**

Product: MOBILGREASE XHP 222

<b>Batch Number</b>	70435128	<b>Quantity / Package</b>	PAIL-ST
<b>Order Key</b>	70435737	<b>Manufacture Date</b>	11/15/2022
<b>Export# / P.O.#</b>		<b>Destination</b>	
<b>Yardmark</b>	10122L17A	<b>Reference #</b>	
<b>CMCS Code/ Prod#</b>	2015A0202530	<b>T/C or T/T</b>	START

Test Description	Method	Test Result
Color	VISUAL	BLUE
Dropping Point, C	ASTM D2265	>281
Pen Consistency Change, Roll Stability, 0.1 mm	ASTM D1831	-12
Penetration, 60X, 0.1 mm	ASTM D217	284
Penetration, Unworked, 0.1 mm	ASTM D217	286
Infrared Spectrum	AMS 1440	MATCH
Base Oil Viscosity of Greases @ 40 C, mm <sup>2</sup> /s	AMS 1697	207
Odor	AMS 1695	PASS

This material meets the ExxonMobil Sales specification established for this product and has been produced in a facility complying with the requirements of the ISO 9001 certified Global Product Integrity Management System (GPIMS). Test results on this certificate represent the most recent inspections done on this product for the stated characteristics and may be based on tank certification, manufacturing data, periodic testing and / or most recent product restock.

Direct Inquiries to:  
Lorynda Clopton, Laboratory Supervisor  
Phone: 1-409-240-4388  
Fax: 1-409-240-8479

This document is electronically generated and does not require a physical signature to be valid.

Tests conducted according to ASTM Standard Test Methods are routinely verified to be in compliance with the latest published versions. Minor changes may be made where they have no material impact on test schedules and are necessitated by reasons such as safety, environmental standards, and method effectiveness.

**BMT4506081\_CofA**